

1/4 INCH x 3600 FEET

1/6 25mm x 1100m)

(6.35mm x 1100m)
SILICONE LUBRICATED
.5 MIL POLYESTER BACKING

290

7 INCH REEL · SPLICE FREE · PROFESSIONAL

TRIPLE LENGTH • TENSILIZED



1/0	DICC)	CIA-RDP71B90297B000200038020_6
RIEFING	005-225	
EBRIEFING-	240 - 351	
· · · · · · · · · · · · · · · · · · ·		

TIME CHART	RECORDING BOTH DIRECTIONS									
	150 FT.	300 FT.	600 FT.	900 FT.	1200 FT.	1800, FT.	2400 FT.	3600 FT.		
1% IPS	30 min.	1 hr.	2 hrs.	3 hrs.	4 hrs.	6 hrs.	8 hrs.	12 hrs.		
3¾ IPS	15 min.	30 min.	60 min.	1½ hrs.	2 hrs.	3 hrs.	4 hrs.	6 hrs.		
7½ IPS	7½ min,	15 min.	30 min.	45 min.	1 hr.	1½ hrs.	2 hrs,	3 hrs.		



NOTICE: The following is made in lieu of ell warranties, express or impliad: Seller's end menufacturer's only obligetion shall be to replece such quentity of the product preved to be defective. Seller end manufacturer shall not be lieble for eny injury, loss or damage, direct or consequential, erising out of the use of or the inebility to use the product. Before using, user shall datermine the suitability of the product for his intended use and user assumes all risk and lieblility whatsoever in connection therewith. The foregoing may not be

Chenged except by an egreement signed by officers of seller and manufacturer.

THE TERM "SCOTCH" AND THE PLAID DESIGN ARE REGISTERED TRADEMARKS OF MINNESOTA MINING AND MANUFACTURING COMPANY, ST.
PAUL, MINNESOTA 55119.

TAPE PATENTED UNDER ONE DR MORE U.S. PATENTS: 2654681, 2711901.

MAGNETIC PRODUCTS OIVISION 3M COMPANY

Approved For Release 2002/10/25: CIRCRDE7 4800292R000200030020-6 Approved For Release 2002/10/25 : Cin